INDEX TO VOLUME 103

Names of contributors and of authors of books reviewed are printed in CAPITALS. Titles in quotes, standing alone, are of contributed papers. Titles in *italic*, standing alone, are of books reviewed. Names of new genera, species, varieties, and combinations are printed in **bold face.** Numbers in **bold face** refer to pages where such a name is accompanied by a description or illustration. Numbers in *italic* refer to pages on which a name is listed as a synonym. Page number for a plant entity is given for only the first time it appears in any one article.

"A new and unique venation pattern in the Diapensiaceae.", 177.
Abies balsamea, 23; *grandis*, 106.
ABRAHAMSON, WARREN G., and JEFF RUBINSTEIN: Growth forms of *Opuntia compressa* (Cactaceae) in Florida sandridge habitats, 77.
Acer rubrum, 57.
Acid phosphatase, electrophoresis of, in *Erigeron*, 122.
Adaptive strategy, the bifurcation ratio in woody plant species as an, 67.
Adirondack Mountains, response of understory herbs in, to soil depth gradients, 165.
Agrostis stolonifera, copper tolerance to, 244.
Akania **americana** n. sp., **127, 128;** *hillii*, 129.
Akaniaceae, fossil leaf of, in Paleocene beds of Argentina, 126.
Alaska, floristic survey of Glacier Bay National Monument, Muir Point, 132.
Albizzia julibrissin Durazz., pectic enzymes in, associated mimosa wilt, 227.
ALBRIGHT, MARION, (see Hicks), 267.
Algae, distribution of, in a reclaimed estuarine marsh, 157.
Alnus crispa, at Muir point, Glacier Bay, Alaska, 132.
***Amaryllis*, growth and organogenesis of tissues in culture, 53.**
"An anatomical and morphological comparison of *Selaginella apoda* and *Selaginella ludoviciana*.", 9.
Anatomy, of *Selaginella* spp., 9.
Angiosperm leaves, gross morphological features of, 29.
Aquatic and Wetland Plants of Southwestern United States, 84.
Arbutus menziesii, 104.
Argentina, fossil leaf of Akaniaceae from Paleocene beds of, 126.
BAPAT, V. A., and S. NARAYANASWAMY: Growth and organogenesis in explanted tissues of *Amaryllis* in culture, 53.
BARBOUR, MICHAEL G., and ROBERT H. ROBICHAUX: Beach phytomass along the California coast, 16.
BASKIN, CAROL C.: (see J. M. Baskin), 201.
BASKIN, JERRY M. and CAROL C. BASKIN: Germination dimorphism in *Heterotheca subaxillaris* var. *subaxillaris*, 201.
"Beach phytomass along the California coast.", 16.
BEMPONG, MAXWELL A., and EVELYN C. TROWER: Cytogenetic effects of 5-fluorouracil. V. Induced meiotic abnormalities in *Tradescantia paludosa*.", 109.
BENNETT, BERNICE, (see Hicks), 267.
Berberidaceae, 223.
BERNARDI, J. A., (see Fonda), 99.
BERNHARDT, PETER: The pollination ecology of *Hepatica acutiloba* DC. (Ranunculaceae), 255.
"The bifurcation ratio as an indicator of adaptive strategy in woody plant species.", 67.
Bifurcation ratio, as an adaptive strategy in woody plant species, 67.
"Biotype selection in *Erigeron annuus* during old field succession.", 122.
Bombus, pollen transfer in *Podophyllum* by, 223.
BRATTON, SUSAN POWER: The response of understory herbs to soil depth gradients in high and low diversity communities, 165.
BRODIE, HAROLD J.: The Bird's Nest Fungi (Review), 84.
Bromus sterilis, 104.
Bryopsida, new species in, from Pacific Northwest, 35.
BUCK, WILLIAM R. and TERRY W. LUCANSKY: An anatomical and morphological comparison of *Selaginella apoda* and *Selaginella ludoviciana*, 9.
BUCKLEY, E. H.: (see Ristich), 157.
Cactaceae, 77.
California, phytomass on beaches of the coast of, 16.
CAPPELLINI, R. A. and J. L. PETERSON: Pectic enzymes associated with mimosa wilt, 227.
CAREY, SUSAN T.: (Review), 84, 183.
CARAUTA, J. P. P., M. DA C. VALENTE, and D. S. DUNN DE ARAUJO: *Dorstenia* **gracilis** and *D.* ***schulzii*** (Moraceae), new species from South America, 172, **173, 174, 175, 176.**
CARLQUIST, SHERWIN: Ecological strategies of xylem evolution (Review), 136.
Caryota mitis, 153.
Chamaedaphne calyculata var. *angustifolia*, 24.
Charophyta, 206.
Chlorogenic acid oxidase, electrophoresis of, in *Erigeron*, 122.
Clethra alnifolia, 3.
CLEWELL ANDRE F.: (see Hebb), 1.
Codium fragile, ssp. *tomentosoides*, 266.
"*Codium* invades Virginia waters.", 266.
"Comparative anatomy of Charophyta: III. Lateral gametangia of *Tolypella*.", 206.
Compositae, 201.
Connecticut, hardwood forest in, *Vitis* infestation and ice damage, 180.
"Copper tolerance in New Jersey populations of *Agrostis stolonifera* and *Paronychia fastigiata*.", 244.

Copper tolerance, in two species in New Jersey, 244.
CORRELL, DONOVAN S., and HELEN B. CORRELL: Aquatic and wetland plants of southwestern United States (Review), 84.
Cyrilla racemiflora, 1.
"Cytogenetic effects of 5-fluorouracil. V. Induced meiotic abnormalities in *Tradescantia paludosa*.", 109.
DENTON, MELINDA F.: Populational variation in *Oxalis hernandesii*, 73.
Diapensia, leaf venation pattern in, 177.
Diapensia purpurea, 177.
Dichapetalaceae, 21.
Dichapetalum donnell-smithii, 21.
DIMICHELE, WILLIAM A. and TOM L. PHILLIPS: ***Thallites dichopleurus*** sp. nov. from the Middle Pennsylvania Mazon Creek flora, 218, **219.**
DOLPH, GARY E.: Interrelationships among the gross morphological features of angiosperm leaves, 29.
Dorstenia **gracilis** (Moraceae), 172, **174.**
"*Dorstenia* **gracilis** and *D.* **schulzii** (Moraceae), new species from South America.", 172, **173, 174, 175, 176.**
Dorstenia **schulzii** (Moraceae), 172, **173, 175.**
Dryas drummondii, 132.
DUNN DE ARAUJO, D. S.: (see Carauta), 172.
Ecological Strategies of Xylem Evolution, 136.
Electrophoresis, acrylamide gel, and *Erigeron annuus biotypes*, 122.
Electrophoresis, starch, and *Erigeron annuus* biotypes, 122.
Elymus arenarius subsp. *mollis* var. *mollis*, at Muir Point, Glacier Bay, Alaska, 132.
Empetrum nigrum, 25.
Enzymes, pectic, in mimosa (*Albizzia*) wilt, 227; pectinesterase (EC 3.1.1.11), 227; polygalacturonase (EC 3.2.1.15), 227; polygalacturonate lyase (EC 4.2.99.3), 227.
Erigeron annuus, biotype selection, during old field succession, 122; electrophoresis of enzymes in, and biotype selection, 122.
ESCHEMAN, ROBERT T., (see Little), 57.
Fagus grandifolia, 57.
FAHEY, TIMOTHY J.: The vegetation of a heath bald in Maine, 23.
Festuca idahoensis, 104.
FISHER, JACK B.: Induction of juvenile leaf form in a palm (*Caryota mitis*) by gibberellin, 153.
Fissidens **aphelotaxifolius** (Bryopsida), sp. nov., **35, 36;** *taxifolius*, 35.
Fissidentaceae (Bryopsida), 35.
Florida, growth forms of *Opuntia compressa* in sandridge habitats, 77.
Florida panhandle, a remnant stand of old-growth slash pine in the, 1.
"A floristic survey of Muir Point, Glacier Bay National Monument, Alaska.", 132.
Flowers of The Mountain Country, 271.
5-Fluorouracil, cytogenetic effects of, in *Tradescantia paludosa*, 109.
Fomes pini, 3.
FONDA, R. W. and J. A. BERNHARDI: Vegetation of Sucia Island in Puget Sound, Washington, 99.
Forest, hardwood, *Vitis* infestation and ice damage, in Connecticut, 180.
"A fossil leaf of Akaniaceae from Paleocene beds in Argentina.", 126.
Fragaria chiloensis subsp. *pacifica*, at Muir Point, Glacier Bay, Alaska, 132.
FRAME, PAUL and TAKASHI SAWA: Comparative anatomy of Charophyta: III. Lateral gametangia of *Tolypella*, 206.
Fraxinus americana, the bifurcation ratio as an adaptive strategy in, 67.
FREDERICK, S. W.: (see Ristich), 157.
Fusarium oxysporum f. sp. *perniciosum* (Hept.) Toole, mimosa wilt caused by, 227.
Gametangia, comparative anatomy of, in *Tolypella* (Charophyta), 206.
Gaultheria shallon, 104.
"Germination dimorphism in *Heterotheca subaxillaris* var. *subaxillaris*.", 201.
GHOUSE, A. K. M. and SHAMIMA HASHMI: The amount of active area of vertical conduction in the conducting phloem of some evergreen and deciduous tropical trees, 000.
Gibberellin, induction of juvenile leaf form by, in a palm (*Caryota mitis*), 153.
Glacier Bay National Monument, Alaska, floristic survey of Muir Point, 132.
GOULD, FRANK W.: The Grasses of Texas (Review), 184.
Great Smoky Mountains, response of understory herbs in, to soil depth gradients, 165.
GRELLER, ANDREW M.: (Review), 271.
"Growth and organogenesis in explanted tissues of Amaryllis in culture.", 53.
Growth of Amaryllis tissue, in culture, 53.
"Growth forms of *Opuntia compressa* (Cactaceae) in Florida sandridge habitats.", 77.
Growth forms, *Opuntia compressa* in Florida, of, 77.
HANCOCK, J. F., JR. and R. E. WILSON: Biotype selection in *Erigeron annuus* during old field succession, 122.
HARDIN, JAMES W.: (see Murphy), 177.
HASHMI, SHAMIMA: (see Ghouse), 252.
Heath bald, vegetation of, in Maine, 23.
HEBB, EDWIN A. and ANDRE F. CLEWELL: A remnant stand of old-growth slash pine in the Florida panhandle, 1.
Hepatica acutiloba, pollination ecology of, 255.
Herbs, understory, response to soil depth gradients, 165.
Heterotheca subaxillaris var. *subaxillaris*, germination dimorphism in, 201.
HICKEY, LEO J., (see Romero), 126.
HICKS, ARTHUR J., MARION ALBRIGHT, and BERNICE BENNETT: Plant mounting problem overcome with the use of self-adhesive plastic coating, 267.
HILL, ROBERT J.: *Mentzelia* **sinuata** (Rydb.) R.J. comb. nov. and *M. speciosa* Osterh. (Loasa

ceae), a species pair from the Rocky Mountain Front Range, 212, **216.**
HILLSON, CHARLES J.: *Codium* invades Virginia waters, 266.
HOLMGREN, NOEL H.: (Review), 184.
"Ice damage in a mixed hardwood forest in Connecticut in relation to *Vitis* infestation.", 180.
Ilex coriacea, 3; *opaca*, 57.
"Induction of juvenile leaf form in a palm (*Caryota mitis*) by gibberellin.", 153.
"Interrelationships among the gross morphological features of angiosperm leaves.", 29.
Itea virginica, 3.
JONES, H. G.: Nomenclatural revision of the West Indian species of *Schomburgkia* (Orchidaceae), 117.
Kalmia angustifolia, 23; *polifolia*, 25.
KIGER ROBERT W.: Swartz' unpublished drawings of West Indian plant species, 80.
Leaves, angiosperm, morphological features of, 29; induction of juvenile form in a palm (*Caryota mitis*), by gibberellin, 153; unique venation pattern in Diapensiaceae, 177.
Ledum groenlandicum, 24.
Leguminosae, 227.
Liquidambar styraciflua, 59.
LITTLE, SILAS, and ROBERT T. ESCHEMAN: Nineteen-year changes in the composition of a stand of *Pinus taeda* in eastern Maryland, 57.
Loasaceae, 212.
LUCANSKY, TERRY W.: (see Buck), 9.
Lyonia lucida, 3.
Maine, the vegetation of a heath bald in, 23.
Magnolia virginiana, 1.
Malic dehydrogenase, electrophoresis of, in *Erigeron*, 122.
Marsh, reclaimed estuarine, transplantation of *Typha* and (New York), 157.
Maryland, eastern, *Pinus taeda* stands in, 57.
MASCHMEYER, JAMES R. and JAMES A. QUINN: Copper tolerance in New Jersey populations of *Agrostis stolonifera* and *Paronychia fastigiata*, 244.
Meiosis, abnormalities due to 5-fluorouracil, in *Tradescantia paludosa*, 109.
"*Mentzelia* ***sinuata*** (Rydb.) R. J. Hill comb. nov. and *M. speciosa* Osterh. (Loasaceae), a species pair from the Rocky Mountain Front Range.", 212, **216.**
Mentzelia ***sinuata***, comb. nov., from the Rocky Mountain Front Range, 212, **216.**
Mentzelia speciosa, 212.
Mexico, *Oxalis hernandesii* populational variation in, 73; *Tapura*, a genus new to, 21.
Mexico, *Tapura*, a genus new to, 21.
Middle Pennsylvanian Mazon Creek flora, *Thallites* ***dichopleurus*** sp. nov., in, 218, **219.**
Moraceae, 172.
Morphology of leaves, angiosperm, 29; of *Selaginella* spp., 9.
MURPHY, HELEN T. and JAMES W. HARDIN: A new and unique venation pattern in the Diapensiaceae, 177.
NARAYANASWAMY, S., (see Bapat), 53.
"Nineteen-year changes in the composition of *Pinus taeda* in eastern Maryland.", 57.
Nitella (Charophyta), 206.
NOBLE, MARK G. and CRAIG D. SANDGREN: A floristic survey of Muir Point, Glacier Bay National Monument, Alaska, 132.
"Nomenclatural revision of the West Indian species of *Schomburgkia* (Orchidaceae).", 117.
Nyssa sylvatica, 57; *sylvatica* var. *biflora*, 1.
OLIVE, LINDSAY S.: The Mycetozoans (Review), 183.
Orchidaceae, *Schomburgkia*, a genus of, 117.
Organogenesis, of *Amaryllis* tissue, in culture, 53.
Oxalis hernandesii, populational variation in, in Mexico, 73.
Paleocene, fossil leaf of Akaniaceae from Argentina, 126.
Palmae, 153.
Paronychia fastigiata, copper tolerance of, 244.
"Pectic enzymes associated with mimosa wilt.", 227.
Peroxidase isozymes, electrophoresis of, in *Erigeron*, 122.
Persea borbonia, 1.
PETERSON, J. L.: (see Cappellini), 227.
Phloem, active area of conducting, in *Delonix regia*, 252; *Mimusops elengi*, 252; *Peltophorum ferrugineum*, 252; *Polyalthia longifolia*, 252; *Putranjiva roxburghii*, 252; *Terminalia arjuna*, 252; in some tropical trees, 252.
Picea mariana, 23; *sitchensis*, 132.
Pine, long-leaf, 1, pond, 1, slash, 1, spruce, 1.
Pinus echinata, 57, *elliottii*, 1, *glabra*, 1, *palustris*, 1, *rigida*, ssp. *rigida*, 57, *serotina*, 1, 57; *virginiana*, 57.
Pinus taeda, change in the composition of a stand of, in eastern Maryland, 57.
"Plant mounting problem overcome with the use of self-adhesive plastic covering.", 267.
Plastic, self-adhesive, use in plant mounting, 267.
Podophyllum peltatum, reproductive biology of, 223.
Pollination ecology, of *Hepatica acutiloba*, 255.
Polystichum munitum, 106.
"Populational variation in *Oxalis hernandesii*", 73.
PRANCE, GHILLEAN T.: *Tapura* (Dichapetalaceae) a genus new to Mexico.", 21.
Pseudotsuga menziesii, 99.
PURSELL, RONALD A.: *Fissidens* ***aphelotaxifolius*** (Bryopsida: Fissidentaceae), a new species from the Pacific Northwest of North America, 35, **35.**
Pyxidanthera, leaf venation pattern in, 177.
Pyxidanthera brevifolia, 177.
QUINN, JAMES A.: (see Maschmeyer), 244.
Ranunculaceae, 255.
"Regeneration and survival of woody species in a naturally-created forest opening.", 259.
Regeneration of, in forest openings *Carya* spp., 259; *Fagus grandifolia*, 259; *Liriodendron tulipifera*, 259; *Pinus echinata*, 259; *P. taeda*, 259; *Quercus alba*, 259.
Reproduction, sexual, success of, in *Podophyllum*, 223.

Rhododendron canadense, 25.
RISTICH, S. S., S. W. FREDERICK, and E. H. BUCKLEY: Transplantation of *Typha* and the distribution of vegetation and algae in a reclaimed estuarine marsh (New York), 157.
ROBICHAUX, ROBERT H.: (see Barbour), 16.
ROMERO, EDGARDO J. and LEO J. HICKEY: A fossil leaf of Akaniaceae from Paleocene beds in Argentina, 126.
ROUFFA, ALBERT S. (Review), 136.
RUBINSTEIN, JEFF: (see Abrahamson), 77.
SANDGREN, CRAIG D.: (see Noble), 132.
SAWA, TAKASHI: (see Frame), 206.
Schomburgkia (Orchidaceae), 117; *Brysiana*, 118; *Brysiana* var. *atropurpurea*, 118; var. *intermedia*, 118; var. *minor*, 118; *campecheana*, 118; *Humboldtii*, 118; *Lyonsii*, 117; *Lyonsii* var. *immaculata*, 117; *marginata* var. *moyobambae*, 117; *Parkinsoniana*, 118; *Rechingerana*, 118; *Rechingerana* var. *superba*, 118; *Schlechterana*, 117; *undulata*, 117.
Seed germination, dimorphism in *Heterotheca*, 201.
Selaginella, anatomical and morphological comparisons in species of, 9; *apoda*, 9; *ludoviciana*, 9.
SICCAMA, THOMAS G., GEORGE WEIR, and KIT WALLACE: Ice damage in a mixed hardwood forest in Connecticut in relation to *Vitis* infestation, 180.
SKEEN, JAMES N.: Regeneration and survival of woody species in a naturally-created forest opening, 259.
Smilax laurifolia, 3.
SOHMER, S. H.: (see Swanson), 223.
Soil depth gradients, response of understory herbs to, 165.
South America, new species of *Dorstenia* (Moraceae) from, 172.
SPELLENBERG, RICHARD: (Review), 84.
Succession, old field, *Erigeron annuus* biotype selection during, 122.
SWANSON, S. D. and S. H. SOHMER: The biology of *Podophyllum peltatum* L. (Berberidaceae), the may apple. II. The transfer of pollen and success of sexual reproduction, 223.
"Swartz' unpublished drawings of West Indian plant species.", 80.
Swartz, Olof, unpublished drawings of West Indian plant species of, 80.
Symplocos tinctoria, 59.
Tapura ***mexicana***, sp. nov., 21, **21.**
Taxodium distichum var. *nutans*, 2.
"*Thallites* ***dichopleurus*** sp. nov. from the Middle Pennsylvanian Mazon Creek flora.", 218, **219.**
"The amount of active area of vertical conduction in the conducting phloem of some evergreen and deciduous tropical trees.", 000.
"The biology of *Podophyllum peltatum* L. (Berberidaceae), the may apple. II. The transfer of pollen and success of sexual reproduction.", 223.
The Bird's Nest Fungi, 84.
The Grasses of Texas, 184.
The Mycetozoans, 183.
"The pollination ecology of *Hepatica acutiloba* DC. (Ranunculaceae).", 255.
"The response of understory herbs to soil depth gradients in high and low diversity communities.", 165.
"The vegetation of a health bald in Maine.", 23.
Thuja plicata, 99.
Tolypella glomerata, 207, *intricata*, 207.
Tradescantia paludosa, meiotic abnormalities in, due to 5-fluorouracil, 109.
"Transplantation of *Typha* and the distribution of vegetation and algae in a reclaimed estuarine marsh.", 157.
TROWER, EVELYN C., (see Bempong), 109.
Tsuga heterophylla, 99, 132.
Typha, transplantation of, and the distribution of vegetation and algae in a reclaimed estuarine marsh, 157.
Typhaceae, 157.
Vaccinium angustifolia, 27, *uliginosum*, 25, *vitis-idaea*, 25.
VALENTE, M. DA C.: (see Carauta), 172.
"Vegetation of Sucia Island in Puget Sound, Washington.", 99.
Vicia americana, 104.
Virginia, *Codium* in waters of, 266.
Vitis infestation of a hardwood forest in Connecticut and ice damage, 180.
WALLACE, KIT: (see Siccama), 180.
WEIR, GEORGE: (see Siccama), 180.
WELSH, STANLEY L. and BILL RATCLIFFE: Flowers of the mountain country (Review), 271.
West Indian plant species, Swartz' unpublished drawings of, 80.
West Indies, species of *Schomburgkia* (Orchidaceae), nomenclatural revision of, 117.
WHITNEY, GORDON G.: The bifurcation ratio as an indicator of adaptive strategy in woody plant species, 67.
WILSON, R. E., (see Hancock), 122.